Vol. 5 Issue 4, April - 2021, Pages: 15-23

Tumor Classification Using Just Neural Networks

Jamal Khamis El-Mahelawi, Jinan Usama Abu-Daqah, Rasha Ibrahim Abu-Latifa

Department of & Information Technology, Faculty of Engineering & Information Technology, Al-Azhar University - Gaza, Palestine azhar.ibrahimn@gmail.com

Abstract: Tumor is a group of diseases that involve abnormal increases in the number of cells, with the potential to invade or spread to other parts of the body. Not all tumors or lumps are cancerous; benign tumors are not classified as being cancer because they do not spread to other parts of the body. There are over 100 different known Tumors that affect humans. Tumors are often described by the body part that they originated in. However, some body parts contain multiple types of tissue, so for greater precision, tumors are additionally classified by the type of cell that the tumor cells originated from. The aim of this study is to propose an Artificial Neural Network model for the classification of tumor types. Some of important features in the classification of the tumors are age, sex, histologic-type, degree-of-diffe, status of bone, bone-marrow, lung, pleura, peritoneum, liver, brain, skin, neck, supraclavicular, axillar, mediastinum, and abdominal. They were used as input variables for the ANN model. A model based on the Multilayer Perceptron topology was created and trained using "primary tumor" dataset which was collected from the University Medical Centre, Institute of Oncology, Ljubljana, Evaluation of the ANN model showed that the ANN model is able to correctly classify the tumor type with 79.65 % accuracy rate.

Keywords: Artificial Neural Networks, Tumor type, Cancer, JNN, Medicine, Classification.

1. Introduction

The main objective of this study is to determine tumor category for patients based on attributes which are set of tests for the patient body. Specifically the study seeks to explore the possibility of using an Artificial Neural Network model to predict the category of a tumor. The category of a tumor may be certain type of function with a number of factors. However, it seems that it will be difficult to find a mathematical model that effectively models these factors relationship. A useful approach to deal with this type of problem is to apply common regression analysis in which historical data are the best fitted to some function. The result is an equation in which each of the inputs xj is multiplied by a weight xj; the sum of all such products and a constant xj, gives an output $y = \sum xj$, where y = 0...y = 0...

Such studies face problems with the complexity of selecting an appropriate function fit to capture all forms of data associations as well as automatically adjusts output in case of additional information, because of the performance of a candidate is controlled by a number of factors, and this control is not going to be any straightforward well-known regression model[2].

Artificial neural network emulates humans' brain in solving problems; it is a common approach that can tackle that kind of problems. Therefore, the attempt to build an adaptive system such as Artificial Neural Network to predict a tumor's category based on the consequence of such factors[3].

The objectives of this study are:

- To identify some suitable factors that affects tumor classification,
- To convert these factors into forms appropriate for an adaptive system coding, and
- To model an Artificial Neural Network that can be used to predict the tumor category based on some predetermined data for a given patient.

2. Artificial neural networks

An Artificial Neural Network (ANN) is a branch of Artificial Intelligence [4-5]. It is a mathematical model that is encouraged by the organization and/or functional feature of biological neural networks. A neural network has a connected set of artificial neurons, and it processes information using a connectionist form to computation. Generally, an ANN is an adaptive system that fine-tunes its organization based on external or internal information that runs through the network during the learning process.

Latest neural networks are non-linear numerical data modeling tools. They usually used to model sophisticated relationships among inputs and outputs or to uncover patterns in data. ANN has been applied in various applications with considerable fulfillment [6-7]. For example, ANN has been applied effectively in the area of prediction, handwritten character recognition,

International Journal of Academic Information Systems Research (IJAISR)

ISSN: 2643-9026

Vol. 5 Issue 4, April - 2021, Pages: 15-23

evaluating prices of housing [8-9].

Neurons often grouped into layers. Layers are groups of neurons that implement similar tasks. There are three types of layers. The input layer is the layer of neurons that receive input from the user program. The output layer is the layer of neurons that send data to the user program. And Between of them there are hidden layers. The Hidden layer neurons are connected only to other neurons and never directly interact with the user program. Every neuron in a neural network has the opportunity to affect processing which can occur at any layer in the neural network. In neural networks, the hidden layers are optional. The input and output layers are essential, however it is possible to have on layer that act as an input and output layer [10].

ANN learning can be directed or undirected. Directed training means giving the neural network a set of sample data alongside the predicted outputs from each of these samples. Directed training is the most common form of neural network training. As directed training continues, the neural network goes through several iterations, or epochs, until the actual output of the neural network equals the predicted output, with a reasonably small error rate. Each iteration is one pass through the training samples. Undirected training is similar to the directed one but no predicted outputs are provided. Undirected training usually occurs when the neural network tends to classify the inputs into several groups. The training progresses through many epochs, just as in directed training. As training progresses, the neural network discovers the classification groups [11]. Training is the process by which these connection weights are assigned. Most training algorithms begin by assigning random numbers to the weight matrix. Then the validity of the neural network is inspected. Next, the weights are tuned based on how valid the neural network done. This process is repetitive until the validation error is within an acceptable limit [12].

Validation of the system is done once a neural network has been trained and it must be assessed to tell if it is ready for actual use. This final step is important so that it can be determined if additional training is required. To correctly validate a neural network, validation data records must be completely separated from the training data records [13]. About 80% of the total sample data was used for network training in this paper. About 20% of the total sample data used for validation of the system.

3. Literature Review

Artificial Neural Networks have been used many fields. In Education such as: Predicting Student Performance in the Faculty of Engineering and Information Technology using ANN[53], Prediction of the Academic Warning of Students in the Faculty of Engineering and Information Technology in Al-Azhar University-Gaza using ANN[49], Arabic Text Summarization Using AraBERT Model Using Extractive Text Summarization Approach[6].

In the field of Health such as: Parkinson's Disease Prediction [50], Classification Prediction of SBRCTs Cancers Using ANN [17], Predicting Medical Expenses Using ANN[51], Predicting Antibiotic Susceptibility Using Artificial Neural Network[43], Predicting Liver Patients using Artificial Neural Network[47], Blood Donation Prediction using Artificial Neural Network[11], Predicting DNA Lung Cancer using Artificial Neural Network[40], Diagnosis of Hepatitis Virus Using Artificial Neural Network[46], COVID-19 Detection using Artificial Intelligence[52].

In the field of Agriculture: Plant Seedlings Classification Using Deep Learning [23], Prediction of Whether Mushroom is Edible or Poisonous Using Back-propagation Neural Network[15], Analyzing Types of Cherry Using Deep Learning[21], Banana Classification Using Deep Learning[13], Mango Classification Using Deep Learning[45], Type of Grapefruit Classification Using Deep Learning[7], Grape Type Classification Using Deep Learning[30], Classifying Nuts Types Using Convolutional Neural Network[27], Potato Classification Using Deep Learning[32], Age and Gender Prediction and Validation Through Single User Images Using CNN[5].

In other fields such as: Predicting Software Analysis Process Risks Using Linear Stepwise Discriminant Analysis: Statistical Methods [34], Predicting Overall Car Performance Using Artificial Neural Network [8,18], Glass Classification Using Artificial Neural Networks [29], Tic-Tac-Toe Learning Using Artificial Neural Networks[25], Energy Efficiency Predicting using Artificial Neural Networks[42], Predicting Titanic Survivors using Artificial Neural Networks[24], Classification of Software Risks with Discriminant Analysis Techniques in Software planning Development Process[33-38], Handwritten Signature Verification using Deep Learning[12], Email Classification Using Artificial Neural Networks[14], Predicting Temperature and Humidity in the Surrounding Environment Using Artificial Neural Networks[22], English Alphabet Prediction Using Artificial Neural Networks[39].

4. Methodology

Vol. 5 Issue 4, April - 2021, Pages: 15-23

A data set refer to Igor Kononenko, and Bojan Cestnik [5] was used, it contains a number of factors that are considered to have an effect on the classification of a tumor. These factors were carefully studied and synchronized into a convenient number appropriate for computer coding within the environment of the ANN modeling. These factors were classified as input variables. The output variables represent the predicted tumor classification based on those inputs.

4.1 The Input Variables

Table 1: Input Data Transformation

#	Input	Domain	Transformed domain
1.	age	<30, 30-59, >=60	1, 2, 3
2.	sex	male, female	0,1
3.	histologic-type	epidermoid, adefalse, anaplastic	1,2,3
4.	degree-of- DIFFE	well, fairly, poorly	1,2,3
5.	bone	yes, no	1,0
6.	bone-marrow	yes, no	1,0
7.	lung	yes, no	1,0
8.	pleura	yes, no	1,0
9.	peritoneum	yes, no	1,0
10.	liver	yes, no	1,0
11.	brain	yes, no	1,0
12.	skin	yes, no	1,0
13.	neck	yes, no	1,0
14.	supraclavicular	yes, no	1,0
15.	axilla	yes, no	1,0
16.	mediastinum	yes, no	1,0
17.	abdominal	yes, no	1,0

These factors were converted into a format suitable for neural network analysis as shown in Table1.

4.2 The Output Variable

The output variable is the Tumor Class, and its domain is: Lung, Head & neck, Esophagus, Thyroid, Stomach, Duodenum & sm.int, Colon, Rectum, Anus, Salivary glands, Pancreas, Gallbladder, Liver, Kidney, Bladder, Testis, Prostate, Ovary, Corpus uteri, Cervix uteri, Vagina, Breast

4.3 Network Architecture

Humans and other animals process information with neural networks. These are formed from trillions of neurons (nerve cells) exchanging brief electrical pulses called action potentials. Computer algorithms that mimic these biological structures are formally called artificial neural networks to distinguish them from the squishy things inside of animals. However, most scientists and engineers are not this formal and use the term neural network to include both biological and nonbiological systems [29-49].

Neural network research is motivated by two desires: to obtain a better understanding of the human brain, and to develop computers that can deal with abstract and poorly defined problems. For example, conventional computers have trouble understanding speech and recognizing people's faces. In comparison, humans do extremely well at these tasks [50-68]. The network is a multilayer perceptron neural network using the linear sigmoid activation function.

The ANN model consists of three layers: 1 input layer, 2 hidden layers, and 1 output layer (as seen in Figure. 1).

4.4 The Back-propagation Algorithm

Algorithm 1 The basic backpropagation algorithm [11]

1: Initialize weights randomly

```
2: Initialize err, threshold, and maxEpochs 3: while epoch < maxEpoch and err > threshold do
           for each example (x, y) in the training set do
5:
           /*Propagate the inputs forward to compute the outputs */
6:
           for each node i in the input layer do
7:
           ai \leftarrow xi
8:
           end for
9:
           for \pounds = 2 to L do
10:
           for each node jin layer £do
11:
        inj \leftarrow \sum_{i} w_{i,j} a_i
12:
       ai \leftarrow g(ini) 13:
                                           end for
          end for
14:
15:
          /* Propagate deltas backward from output layer to input layer */
16:
          for each node jin the output layer do
          \Delta[j] \leftarrow g'(inj) \times (yj - aj) 18: end for for \ell = L - 1 to 1 do
17:
19:
                                                      \Delta[i] \leftarrow g^{!}(inj)\Sigma_{j} w_{i,j} \Delta[j] 22:
20:
          foreachnodeiinlaver£do 21:
                                                                                                               end for
23:
          end for
24:
          /* Update each weight using deltas */
25:
          for each weight wi, i do
26:
          w_{i,j} \leftarrow w_{i,j} + \alpha \times a_i \times \Delta[j] 27: end for
28:
          end for
29: end while
```

4.5 Training and Validation of the model

The collected dataset was preprocessed and then imported into JNN environment as shown in Figure 2. After setting the control parameter of the proposed ANN model, as can be seen in Figure 3, we have split the data set into 2 groups (training and validation) randomly using the JNN environment. The ration of split is 2/3 of the dataset training and 1/3 is for validation. Then, we trained the ANN model for 27680 cycles. The Validation accuracy rate was 89.65 (as in Figure 4). We have determined the most influential feature of the dataset as in Figure 5. The details of the proposed ANN model as seen in Figure 6.

tumor2 27680 cycles. Target error 0.0100 Average training error 0.053857 The first 17 of 17 Inputs in descending order.




Figure 5: Shows the relative importance of the input attributes.

Vol. 5 Issue 4, April - 2021, Pages: 15-23

X: tumor2													
	Tumor Class	Age	nex	histologi	c+ degree-of	-+ bone	bone-marrow	lung	pleura	peritoneum	liver	brein	skin
t0	0	1.0000	1.0000	1.0000	3.0000	2.0000	2.0000	1.0000	2.0000	2,0000	2.0000	2,0000	2.0000
11	0	1.0000	1,0000	1.0000	3,0000	2.0000	2.0000	2.0000	2.0000	2.0000	1.0000	2,0000	2,0000
12	D	1.0000	2,0000	2,0000	3.0000	1.0000	2.0000	2.0000	2.0000	2,0000	2,0000	2,0000	2,000
13	0	1,0000	2,0000	1.0000	3.0000	1.0000	2.0000	1.0000	1.0000	2.0000	2,0000	2,0000	2,000
14	0	1.0000	2,0000	1,0000	3.0000	1.0000	2.0000	1.0000	1.0000	2,0000	2,0000	2,0000	2,000
1 5	0	1.0000	2.0000	1.0000	3.0000	1.0000	2.0000	2.0000	2.0000	2.0000	2.0000	1.0000	2.0000
+ €:	0.	2,0000	1.0000	1.0000	1.0000	1.0000	2.0000	2.0000	2.0000	2,0000	2.0000	2.0000	1.0000
¥7	0	2.0000	1.0000	1.0000	1.0000	1.0000	2.0000	2,0000	2.0000	2,0000	2.0000	2.0000	2,0008
12	0	2,0000	1.0000	1.0000	1,0000	2.0000	2,0000	2,0008	2.0000	2.0000	2.0000	2.0000	2.0000
ŧ9.	0	2,0000	1.0000	1.0000	2.0000	1.0000	2.0000	2,0000	2.0000	2+0000	2.0000	2.0000	1.000
+10	0	2.0800	1.0000	1.0000	3.0000	1.0000	2.0000	2.0000	1.0000	2.0000	2.0000	2,0000	2.0000
11	O.	2,0000	1.0000	1.0000	3.0000	1.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2,0000	1,000
112	0	2.0000	1,0000	1.0000	3,0000	1.0000	2.0000	2.0000	2.0000	2,0000	2,0000	2,0000	2,000
113	0	2.0000	1,0000	1.0000	3.0000	1,0000	2.0000	2.0000	2.0000	2,0000	2.0000	2.0000	2,000
+14	0	2.0000	1.0000	1.0000	3,0000	2.0000	2.0000	2.0000	2.0000	2.0000	1.0000	2+0000	2.000
15	0	2.0000	1.0000	1.0000	1.0000	2.0000	2.0000	2.0000	1.0000	2.0000	1.0000	2,0000	2,000
16	0	2.0000	1.0000	1.0000	1.0000	2,0000	2.0000	2.0000	2.0000	2.0000	2.0000	2,0000	2.000
#27	0	2.0000	1.0000	2,0000	2,0000	2,0000	2.0000	1.0000	2.0000	2.0000	2.0000	2,0000	2,000
110	0	2.0000	1.0000	2.0000	3.0000	1.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	1.000
19	0	2.0000	1.0000	2.0000	3.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.000
20	0	2,0000	1.0000	2.0000	1,0000	1.0000	2.0000	2.0000	2.0000	2,0000	2.0000	2,0000	2,000
21	0	2.0000	1,0000	2,0000	1,0000	2.0000	2,0000	1.0000	2.0000	2.0000	1,0000	2,0000	2,000
122	0	2,0000	1.0000	2.0000	1,0000	2.0000	2.0000	1.0000	2.0000	2,0000	2,0000	2,0000	2.000
123	0	2.0000	1.0000	2.0000	1.0000	2.0000	2.0000	2.0000	1.0000	1,0000	2.0000	2,0000	2.000
24	0:	2.0000	1,0000	2.0000	1.0000	2.0000	2.0000	2.0000	1.0000	2.0000	2.0000	2.0000	2,000
# 25	Ď.	2,0000	1,0000	2.0000	1.0000	2.0000	2.0000	2.0000	2.0000	2,0000	2,0000	2,0000	2,000
126	0.	2,0000	1,0000	3.0000	3.0000	1.0000	1,0000	2.0000	2.0000	2.0000	2.0000	2,0000	2,000
127	0	2.0000	1,0000	3.0000	3.0000	2.0000	2.0000	1.0000	2.0000	1.0000	2,0000	2,0000	2,000
+26	0	2.0000	1.0000	3.0000	3.0000	2.0000	2.0000	2.0000	1.0000	2,0000	1,0000	2.0000	2,000
129	0	2,0000	1.0000	3.0000	3.0000	2.0000	2.0000	2.0000	2.0000	2,0000	2.0000	1.0000	2,000
¥30	0	2.0000	1.0000	1,0000	3.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	2,0000	2,000
31	0	2,0000	1,0000	1.0000	3,0000	1.0000	1-0000	2.0000	2.0000	2.0000	2.0000	1.0000	2,0000

Figure 2: Imported dataset into JNN environment




Figure 4: Shows the Training, error, and validation of the data set.




Figure 1: Shows the Design of the Neural Networks




Figure 3: Controls of parameter of the ANN model




Figure 6: Shows the detail of the ANN model.

International Journal of Academic Information Systems Research (IJAISR)

ISSN: 2643-9026

Vol. 5 Issue 4, April - 2021, Pages: 15-23

5. Evaluation of neural network

The purpose of this study was to classify the tumor type. Where we used patients test results, which provides the possibility to implement and test the neural network and its learning algorithm. Our neural network is designed to classify the tumor based on those test results.

After training and validation, the network was tested using test records and the following results were obtained. This involves inputting variable input data into the grid without output variable results. The output from the grid is then compared with the actual variable data. The neural network was successfully able to accurately classify 79.65 % of the data.

6. Conclusion

An artificial Neural Network model for classifying tumor type was proposed. The model used feed forward backpropagation algorithm for training. The features for the model were collected from dataset represents patients test results. The model was tested and the best result was 79.65%. This study showed that artificial neural network can classify tumor type successfully.

International Journal of Academic Information Systems Research (IJAISR)

ISSN: 2643-9026

Vol. 5 Issue 4, April - 2021, Pages: 15-23

References

- A. Lotfi and A. Benyettou, "Using Probabilistic Neural Networks for Handwritten Digit Recognition", Journal of Artificial Intelligence, vol. 4, no. 4, (2011).
- P. Khanale and S. Chitnis, "Handwritten Devanagari Character Recognition using Artificial Neural Network", Journal of Artificial Intelligence, vol. 4, no. 1, (2011).
- 3. P. Eriki and R. Udegbunam, "Application of neural network in evaluating prices of housing units in Nigeria: A preliminary investigation", J. of Artificial Intelligence, vol. 3, no. 1,
- H. Martin and D. Howard, "Neural Network Design", 2nd Edition, Martin Hagan (2014).
- Abu Nada, A. M., et al. (2020). "Age and Gender Prediction and Validation Through Single User Images Using CNN." International Journal of Academic Engineering Research (IJAER) 4(8): 21-24.
- Abu Nada, A. M., et al. (2020). "Arabic Text Summarization Using AraBERT Model Using Extractive Text Summarization Approach." International Journal of Academic 6. Information Systems Research (IJAISR) 4(8): 6-9.
- Abu-Saqer, M. M., et al. (2020). "Type of Grapefruit Classification Using Deep Learning." International Journal of Academic Information Systems Research (IJAISR) 4(1): 1-5. 7.
- Afana, M., et al. (2018). "Artificial Neural Network for Forecasting Car Mileage per Gallon in the City." International Journal of Advanced Science and Technology 124: 51-59. 8.
- Al Barsh, Y. I., et al. (2020). "MPG Prediction Using Artificial Neural Network." International Journal of Academic Information Systems Research (IJAISR) 4(11): 7-16. 9.
- 10. Alajrami, E., et al. (2019). "Blood Donation Prediction using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 3(10): 1-7.
- Alajrami, E., et al. (2020). "Handwritten Signature Verification using Deep Learning." International Journal of Academic Multidisciplinary Research (IJAMR) 3(12): 39-44. 11
- Al-Araj, R. S. A., et al. (2020). "Classification of Animal Species Using Neural Network." International Journal of Academic Engineering Research (IJAER) 4(10): 23-31. 12
- Al-Atrash, Y. E., et al. (2020). "Modeling Cognitive Development of the Balance Scale Task Using ANN." International Journal of Academic Information Systems Research 13. (IJAISR) 4(9): 74-81
- 14 Alghoul, A., et al. (2018). "Email Classification Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 2(11): 8-14.
- Al-Kahlout, M. M., et al. (2020). "Neural Network Approach to Predict Forest Fires using Meteorological Data." International Journal of Academic Engineering Research (IJAER) 15. 4(9): 68-72.
- Alkronz, E. S., et al. (2019). "Prediction of Whether Mushroom is Edible or Poisonous Using Back-propagation Neural Network." International Journal of Academic and Applied Research (IJAAR) 3(2): 1-8.
- Al-Madhoun, O. S. E.-D., et al. (2020). "Low Birth Weight Prediction Using JNN." International Journal of Academic Health and Medical Research (IJAHMR) 4(11): 8-14.
- Al-Massri, R., et al. (2018). "Classification Prediction of SBRCTs Cancers Using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER)
- 19. Al-Mobayed, A. A., et al. (2020). "Artificial Neural Network for Predicting Car Performance Using JNN." International Journal of Engineering and Information Systems (IJEAIS) 4(9): 139-145
- 20. Al-Mubayyed, O. M., et al. (2019). "Predicting Overall Car Performance Using Artificial Neural Network." International Journal of Academic and Applied Research (IJAAR) 3(1):
- Alshawwa, I. A., et al. (2020). "Analyzing Types of Cherry Using Deep Learning." International Journal of Academic Engineering Research (IJAER) 4(1): 1-5. 2.1
- Al-Shawwa, M., et al. (2018). "Predicting Temperature and Humidity in the Surrounding Environment Using Artificial Neural Network." International Journal of Academic 22. Pedagogical Research (IJAPR) 2(9): 1-6.
- Ashqar, B. A., et al. (2019). "Plant Seedlings Classification Using Deep Learning." International Journal of Academic Information Systems Research (IJAISR) 3(1): 7-14. Bakr, M. A. H. A., et al. (2020). "Breast Cancer Prediction using JNN." International Journal of Academic Information Systems Research (IJAISR) 4(10): 1-8. 23.
- 24
- Barhoom, A. M., et al. (2019). "Predicting Titanic Survivors using Artificial Neural Network." International Journal of Academic Engineering Research (IJAER) 3(9): 8-12. 25.
- Belbeisi, H. Z., et al. (2020). "Effect of Oxygen Consumption of Thylakoid Membranes (Chloroplasts) From Spinach after Inhibition Using JNN." International Journal of 26. Academic Health and Medical Research (IJAHMR) 4(11): 1-7.
- Dalffa, M. A., et al. (2019). "Tic-Tac-Toe Learning Using Artificial Neural Networks." International Journal of Engineering and Information Systems (IJEAIS) 3(2): 9-19. 27
- 28. Dawood, K. J., et al. (2020). "Artificial Neural Network for Mushroom Prediction." International Journal of Academic Information Systems Research (IJAISR) 4(10): 9-17.
- 29 Dheir, I. M., et al. (2020). "Classifying Nuts Types Using Convolutional Neural Network." International Journal of Academic Information Systems Research (IJAISR) 3(12): 12-18.
- 30. El-Khatib, M. J., et al. (2019). "Glass Classification Using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 3(2): 25-31. 31. El-Mahelawi, J. K., et al. (2020). "Tumor Classification Using Artificial Neural Networks." International Journal of Academic Engineering Research (IJAER) 4(11): 8-15.
- El-Mashharawi, H. Q., et al. (2020). "Grape Type Classification Using Deep Learning." International Journal of Academic Engineering Research (IJAER) 3(12): 41-45. 32.
- 33. Elzamly, A., et al. (2015). "Classification of Software Risks with Discriminant Analysis Techniques in Software planning Development Process." International Journal of Advanced Science and Technology 81: 35-48.
- 34. Elzamly, A., et al. (2015). "Predicting Software Analysis Process Risks Using Linear Stepwise Discriminant Analysis: Statistical Methods." Int. J. Adv. Inf. Sci. Technol 38(38):
- 35. Elzamly, A., et al. (2017). "Predicting Critical Cloud Computing Security Issues using Artificial Neural Network (ANNs) Algorithms in Banking Organizations." International Journal of Information Technology and Electrical Engineering 6(2): 40-45.
- Habib, N. S., et al. (2020). "Presence of Amphibian Species Prediction Using Features Obtained from GIS and Satellite Images." International Journal of Academic and Applied 36. Research (IJAAR) 4(11): 13-22.
- Harz, H. H., et al. (2020). "Artificial Neural Network for Predicting Diabetes Using JNN." International Journal of Academic Engineering Research (IJAER) 4(10): 14-22. 37.
- Hassanein, R. A. A., et al. (2020), "Artificial Neural Network for Predicting Workplace Absenteeism." International Journal of Academic Engineering Research (IJAER) 4(9): 62-38.
- Heriz, H. H., et al. (2018). "English Alphabet Prediction Using Artificial Neural Networks." International Journal of Academic Pedagogical Research (IJAPR) 2(11): 8-14. 39
- Jaber, A. S., et al. (2020). "Evolving Efficient Classification Patterns in Lymphography Using EasyNN." International Journal of Academic Information Systems Research (IJAISR) 40. 4(9): 66-73.
- Kashf, D. W. A., et al. (2018). "Predicting DNA Lung Cancer using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 2(10): 6-13. 41.
- Khalil, A. J., et al. (2019). "Energy Efficiency Predicting using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 3(9): 1-8. 42. 43.
- Kweik, O. M. A., et al. (2020). "Artificial Neural Network for Lung Cancer Detection." International Journal of Academic Engineering Research (IJAER) 4(11): 1-7. 44. Maghari, A. M., et al. (2020). "Books' Rating Prediction Using Just Neural Network." International Journal of Engineering and Information Systems (IJEAIS) 4(10): 17-22.
- 45. Mettleq, A. S. A., et al. (2020). "Mango Classification Using Deep Learning." International Journal of Academic Engineering Research (IJAER) 3(12): 22-29. 46. Metwally, N. F., et al. (2018). "Diagnosis of Hepatitis Virus Using Artificial Neural Network." International Journal of Academic Pedagogical Research (IJAPR) 2(11): 1-7.
- Mohammed, G. R., et al. (2020). "Predicting the Age of Abalone from Physical Measurements Using Artificial Neural Network." International Journal of Academic and Applied Research (IJAAR) 4(11): 7-12.
- Musleh, M. M., et al. (2019). "Predicting Liver Patients using Artificial Neural Network." International Journal of Academic Information Systems Research (IJAISR) 3(10): 1-11. 48.
- 49. Oriban, A. J. A., et al. (2020). "Antibiotic Susceptibility Prediction Using JNN." International Journal of Academic Information Systems Research (IJAISR) 4(11): 1-6.
- Qwaider, S. R., et al. (2020). "Artificial Neural Network Prediction of the Academic Warning of Students in the Faculty of Engineering and Information Technology in Al-Azhar 50. University-Gaza." International Journal of Academic Information Systems Research (IJAISR) 4(8): 16-22.
- Sadek, R. M., et al. (2019), "Parkinson's Disease Prediction Using Artificial Neural Network." International Journal of Academic Health and Medical Research (IJAHMR) 3(1): 1-51.
- Salah, M., et al. (2018). "Predicting Medical Expenses Using Artificial Neural Network." International Journal of Engineering and Information Systems (IJEAIS) 2(20): 11-17. 52
- Salman, F. M., et al. (2020). "COVID-19 Detection using Artificial Intelligence." International Journal of Academic Engineering Research (IJAER) 4(3): 18-25. 53.
- Samra, M. N. A., et al. (2020). "ANN Model for Predicting Protein Localization Sites in Cells." International Journal of Academic and Applied Research (IJAAR) 4(9): 43-50. 54.
- Shawarib, M. Z. A., et al. (2020). "Breast Cancer Diagnosis and Survival Prediction Using JNN." International Journal of Engineering and Information Systems (IJEAIS) 4(10): 23-55.
- Zaqout, I., et al. (2015). "Predicting Student Performance Using Artificial Neural Network: in the Faculty of Engineering and Information Technology." International Journal of 56. Hybrid Information Technology 8(2): 221-228.
- 57 UCI Machine Learning repository (https://archive.ics.uci.edu/ml/datasets.html)
- 58. EasyNN Tool